



Hytera SC580

Smart 4G Body Camera

Small Body, Big Power.




Hytera SC580 smart 4G body camera captures high quality videos, audios, and photos and stores them securely. When the situation requires it, the body camera can transmit and livestream video from the field to the command center over the cellular network or WLAN.

Weighing only 158 g, this pocket-sized body camera stands with a height of 91 mm, a width of 55 mm, and a depth of 29 mm, allowing officers to comfortably hold it in their hands or wear it on the uniform all day long without much burden. Its thin body comes with a powerful 3,200 mAh battery, which lasts longer than regular work shifts.

Empowered by Hytera's Push-to-talk over Cellular (PTToC) application, SC580 works also as a PoC radio to deliver PTT services among the officers and dispatchers for better communications and collaboration. It allows the officer to make video calls while recording and streaming video, thanks to innovative dual-stream technology as well as the front and rear cameras.





Record Stable Video Always

With the 6-axis image stabilization technology, the body camera captures stable and clear videos even when the user is on the move.



See Through the Darkness

The body camera captures crisp-clear, colorful images with details even in the darkness due to its starlight standard sensor*.

*Only available for SC580 (Starlight Night Vision).



Last Beyond the Shift

Thanks to the 3200mAh battery and the power consumption optimization, the body camera can record videos for up to 10 hours in a row.



Push-to-talk

With the Hytera PTTtoC application, the body camera works multipurpose as a PoC radio and enables officers to instantly communicate across the team with a single push on the PTT button. Its dual microphones, coupled with the noise cancellation algorithm, enable SC580 to deliver crystal clear audio in noisy environments.



Record Intuitively

With a large and intuitive video recording key, users can start the recording through quick and simple operation amid the hustle of onsite activities.

120s Pre-event Recording



Capture the Complete Event

Pre-event recording enables the body camera to automatically capture video and audio up to 120 seconds before a recording is manually activated. It ensures crucial events are captured and recorded as complete as possible – even before pressing the recording button, especially when the scene unfolds volatily.



Video Call while Recording

The body camera comes with front and rear cameras. Officers can use the front camera to make a video call while the rear HD camera keeps recording what's happening in the field.



Record and Stream Simultaneously

Enabled by Hytera's innovative dual-stream technology, the body camera records and stores footage locally, while streaming video.



Secure the Evidence

The AES-256 encryption algorithm ensures the security and integrity of all the videos, audios, and photos stored in the body camera, both when it is in the field or dock station. All footages in the camera are tamper-proofed before they are downed to a secured evidence management system.



ACCESSORIES

● Standard ● Optional



Battery



Belt Clip



USB-C Data Cable



Power Adapter




Multi-Unit Charger



Wireless Ring PTT



Magnet Mount



Molle Mount



Shoulder Strap



Chest Harness



Car Bracket



Motorcycle Bracket

SPECIFICATIONS

	SC580	SC580(Starlight Night Vision)
Dimensions(H x W x D)	91 mm x 55 mm x 29 mm	
Weight	158g 177g(with belt clip)	
Screen	2.0-inch	
Storage Capacity	32GB/64GB/128GB/256GB	
Battery Capacity	3,200 mAh	
Camera	Front camera x 1 Rear camera x 1	
Night Vision	Infrared night vision	Starlight night vision
Field of View	121°	150°
Focus Range	0.5 m to infinity	
Video Resolution	1080p@30fps, 720p@30fps, 480p@30fps	
Video File Format	MP4	
Photo Resolution	16MP	
Photo File Format	JPG	
Audio File Format	AAC	
File Encryption	AES-256bit	
WLAN	802.11 a/b/g/n/ac	
BT	BT 5.1. Supporting BLE.	
Positioning	GPS/BDS/GLONASS/A-GPS	
Interface	Type-C. Supporting OTG output.	
IP Rating	IP68	
Drop Test	1.2 meters	
Operating Temperature	-20°C to +60°C	
Cellular Networks	Asian, European, African Edition: GSM: 850/900/1800/1900 TD-SCDMA: B34/B39 CDMA: BC0 WCDMA: B1/B3/B5/B8 TDD-LTE: B34/B38/B39/B40/B41 FDD-LTE: B1/B3/B5/B7/B8/B20/B26/B28	American Edition: GSM: 850/900/1800/1900 WCDMA: B2/B4/B5 TDD-LTE: B38/B40/B41 FDD-LTE: B2/B3/B4/B5/B7/B12/B13/B17/B26/B28



Hytera Communications Corporation Limited

Stock Code: 002583.SZ

Address: Hytera Tower, Hi-Tech Industrial Park North, 9108# Beihuan Road, Nanshan District, Shenzhen, P.R.C

Tel: +86-755-2697 2999 Fax: +86-755-8613 713 Post: 518057

Https://www.hytera.com marketing@hytera.com



Hytera retains right to change the product design and specification. Should any printing mistake occur, Hytera doesn't bear relevant responsibility. Little difference between real product and product indicated by printing materials will occur by printing reason.

HYT, Hytera are registered trademarks of Hytera Communications Corp., Ltd. © 2024 Hytera Communications Corp., Ltd. All Rights Reserved.